

NCHIRE

ACCESS EQUIPMENT

GEAR GUIDE

2017



Mast Lifts



Electric Scissors



Rough Terrain



0800 624 473

www.nchire.co.nz

Our Story

Hello and welcome to our all new **2017 Access Brochure.**

We've got some exciting news to tell our valued customers, so please take time to check out some of our great new additions to help make your projects simpler.

Now with dispatch yards in both Christchurch and Rangiora, we look forward to being able to dispatch equipment to your site even faster at more competitive rates.



Why hire from us?

- SUPERIOR QUALITY
- RELIABLE SERVICE
- LONG TERM RENTAL SOLUTIONS
- FAST DELIVERY
- TRUST US TO SAVE YOU MONEY



CONTENTS

Vertical Mast Lifts	4	Trailer Booms	28
4m	5	12m Cherrypicker	29
6m	6	Attachments	30
Electric Scissor Lifts	8	DC Light Duty Pipe Rack	31
4m	9	DC Heavy Duty Pipe Rack	32
5m	10	RT Heavy Duty Pipe Rack	33
8m	11	DC Board Carrier	34
10m	12	Transport Solutions	36
12m	13	Plant Trailers	37
14m	14	Specialty Trucks	37
16m	15	Safety	38
Hybrid Scissor Lift	16	Training Courses	39
12m	17	Partners	40
Rough Terrain Scissor Lifts	18	Other Divisions	41
8m	19	Our Difference	42
10m	20	Quotes / Notes	43
12m	21		
14m	22		
Articulating Boom Lifts	24		
16m	25		
18m	26		
21m	27		

Key to Safety Gear Requirements



Hi-Vis Vest



Hard Hat



Work Boots



Harness



Vertical Mast Lifts

Vertical Mast Lifts are perfect for one man tasks and indoor applications. Compact in design, these make accessing hard to reach places a breeze with a tight turning circle and fast lift speeds.



NCHire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.



◀ Scan here to view online!



4 Metre

5

6 Metre

6

SKYJACK SJ12

- Ultra compact design
- Low loading height
- Two person capacity
- Slide-out deck
- Wind rated

SPECIFICATIONS

BRAND

SKYJACK

Model	SJ12
-------	------

DIMENSIONAL DATA

Platform Height (Raised)	3.65m
Working Height	5.48m
Platform Height (Lowered)	0.45m
Platform Dimensions	0.69m x 0.93m
Overall Height (Stowed)	1.79m
Overall Width	0.77m
Overall Length	1.37m

PERFORMANCE DATA

Weight	782kg
Platform Capacity	227kg
Platform Capacity (Extended)	113kg
Gradeability	30%
Wind Speed (fitted with wind kit)	12.5m/s
Drive Speed (Stowed)	4km/h

TYRES: SOLID NON MARKING



Transport



SKYJACK SJ16

- Ultra compact design
- Low loading height
- Two person capacity
- Slide-out deck
- Excellent reach height with small footprint

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ16

DIMENSIONAL DATA	
Platform Height (Raised)	4.75m
Working Height	6.75m
Platform Height (Lowered)	0.45m
Platform Dimensions	0.69m x 0.93m
Overall Height	1.79m
Overall Width	0.76m
Overall Length	1.37m

PERFORMANCE DATA	
Weight	966kg
Platform Capacity	227kg
Platform Capacity (Extended)	113kg
Gradeability	30%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	4km/h

TYRES: SOLID NON MARKING



Premium Used Equipment FOR SALE

NC Hire has only the most modern and highly maintained equipment in our fleet; hence why we regularly have quality, low houred machinery for sale.

You can enjoy peace of mind knowing that all our machinery has been maintained to the highest of standards and can offer the balance of the machine warranty.

**Talk to us today about
your Sales Solutions**



◀ **Scan here to view
on Trademe!**

**Call us now for a list
of sales stock.**

**0800 624 473
021 854 118**



Electric Scissor Lifts

Electric Slab Scissor Lifts are perfect for any indoor applications where working at height is required.

Non-marking tyres and an array of safety features standard on all NC Hire's Electric Scissor Lifts ensure any task at height is a breeze. Electric Slab Scissor Lifts range from 4m - 16m, and can be transported on site by NC Hire by either trailer or truck.



NCHire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.



Scan here to view online!



4 Metre	9
5 Metre	10
8 Metre	11
10 Metre	12
12 Metre	13
14 Metre	14
16 Metre	15

DINGLI SP039-E

- Push around by single operator
- Easy to use controls
- Automatic locking system
- 240Kg capacity

SPECIFICATIONS**BRAND****DINGLI**

Model

SP039-E

DIMENSIONAL DATA

Platform Height (Raised)	3.9m
Working Height	5.9m
Platform Dimensions	1.15m x 0.70m
Overall Height	1.92m
Overall Width	0.76m
Overall Length	1.30m

PERFORMANCE DATA

Weight	516kg
Platform Capacity	240kg
Wind Speed	Indoors Rated Only

TYRES: NON MARKING CASTORS

Transport



DINGLI S036-RS

- Ideal for low height tasks
- Extremely compact and nimble
- Extendable platform
- Fits inside building lifts

SPECIFICATIONS**BRAND****DINGLI**

Model

S036-RS

DIMENSIONAL DATA

Platform Height (Raised)	3.6m
Working Height	5.6m
Platform Dimensions	1.29m x 0.7m
Platform Dimensions (Extended)	1.9m
Overall Height (Stowed)	2.03m
Overall Width (Stowed)	.76m
Overall Length (Stowed)	1.44m

PERFORMANCE DATA

Weight	880kg
Platform Capacity	240kg
Gradeability	25%
Wind Speed	Indoors Rated Only
Drive Speed (Stowed)	4.2km/h

TYRES: SOLID NON MARKING

Transport



SKYJACK SJ3219

- Use indoor/outdoor on flat services
- Fold-down handrails; easily fits through doorways
- Standard with non-marking tyres
- Heavy duty brands ensures you stay productive

SPECIFICATIONS

BRAND	SKYJACK	DINGLI	HAULOTTE
Model	SJ3219	S06-E	COMPACT 8

DIMENSIONAL DATA

Platform Height (Raised)	5.8m	5.8m	6.2m
Working Height	7.8m	7.8m	8.2m
Platform Dimensions	1.63m x 0.66m	1.67m x 0.74m	2.31m x 0.81m
Platform Extension Size	0.9m	0.9m	0.92m
Overall Height (Stowed)	2.1m	2.01m	2m
Overall Width	0.8m	0.76m	0.81m
Overall Length	1.8m	1.86m	2.49m

PERFORMANCE DATA

Weight	1312kg	1240kg	1655kg
Platform Capacity	227kg	230kg	350kg
Platform Capacity (Extended)	113kg	115kg	120kg
Gradeability	25%	25%	23%
Wind Speed	12.5m/s	12.5m/s	12.5m/s
Drive Speed (Stowed)	3.7km/h	5km/h	3.3km/h

TYRES: SOLID NON MARKING



Transport



SKYJACK SJ3226

- Choose from wide/narrow body to suit your task
- Increased platform capacity of 454kg
- Fold-down handrails



SPECIFICATIONS

BRAND	SKYJACK	SKYJACK
Model	SJ3226	SJ4626

DIMENSIONAL DATA

Platform Height (Raised)	8m	8m
Working Height	10m	10m
Platform Dimensions	2.13m x 0.71m	2.13m x 1.07m
Platform Extension	0.83m	0.91m
Overall Height (Stowed)	2.15m	2.15m
Overall Width	0.81m	1.17m
Overall Length	2.13m	2.31m

PERFORMANCE DATA

Weight	2132kg	2760kg
Platform Capacity	227kg	454kg
Platform Capacity (Extended)	113kg	136kg
Gradeability	25%	25%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	3.2km/h	3.2km/h

TYRES: SOLID NON MARKING

**SOLID,
WELL BUILT
MACHINES MEAN
YOU REMAIN
PRODUCTIVE**

Transport



SKYJACK SJ4632

- Large, stable platform area
- Low stowed height and fold-down handrails means access through low overhead doors

BRAND	SKYJACK	DINGLI
Model	SJ4632	S1012E

DIMENSIONAL DATA

Platform Height (Raised)	9.8m	10m
Working Height	11.8m	12m
Platform Dimensions	2.14m x 1.07m	2.27m x 1.12m
Platform Extension	0.91m	0.9m
Overall Height (Stowed)	2.15m	2.47m
Overall Width	1.2m	1.15m
Overall Length	2.3m	2.48m

PERFORMANCE DATA

Weight	2760kg	2730kg
Platform Capacity	319kg	320kg
Platform Capacity (Extended)	196kg	113kg
Gradeability	25%	25%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	2.4km/h	5km/h

TYRES: SOLID NON MARKING



ALL NCHIRE'S
SCISSOR LIFTS
FEATURE
'DRIVEABLE AT
FULL HEIGHT'
FUNCTION

Transport



DINGLI S1212 E

- 320kg capacity
- Only 1.15m wide
- Ideal machine for warehouses and supermarkets.
- Indoor rated only

SPECIFICATIONS**BRAND****DINGLI**

Model

S1212 E

DIMENSIONAL DATA

Platform Height (Raised)	12m
Working Height	14m
Platform Dimensions	2.27m x 1.12m
Platform Extension	0.9m
Overall Height (Stowed Rails Up)	2.59m
Overall Width	1.15m
Overall Length	2.48m

PERFORMANCE DATA

Weight	2900kg
Platform Capacity	320kg
Platform Capacity (Extended)	113kg
Gradeability	25%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	5km/h

TYRES: SOLID NON MARKING

14M WORKING HEIGHT MAKES THIS ELECTRIC SLAB SCISSOR LIFT PERFECT FOR WAREHOUSES AND SUPERMARKET PROJECTS

Transport



DINGLI S1414 E

- Biggest electric slab scissor lift in NC Hire's fleet
- 320kg capacity
- Only 1.5m wide

SPECIFICATIONS**BRAND****DINGLI**

Model

S1414 E

DIMENSIONAL DATA

Platform Height (Raised)	14m
Working Height	16m
Platform Dimensions	2.27m x 1.12m
Platform Extension	0.9m
Overall Height (Stowed Rails Up)	2.59m
Overall Width	1.15m
Overall Length	2.48m

PERFORMANCE DATA

Weight	3000kg
Platform Capacity	320kg
Platform Capacity (Extended)	113kg
Gradeability	25%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	5km/h

TYRES: SOLID NON MARKING

**A MASSIVE
16M WORKING
HEIGHT MAKES THIS
ELECTRIC SLAB
SCISSOR LIFT PERFECT
FOR WAREHOUSES
AND SUPERMARKET
PROJECTS**

Transport



Hybrid Scissor Lifts

NC Hire offers unique Hybrid Scissor Lifts, having the characteristics of an Electric Scissor Lift but drive power and lift capacity of a Rough Terrain. It operates like an Electric Scissor lift, and if the battery level drops below a set parameter a Diesel generator starts to charge the batteries up.



NCHire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.



Scan here to view online!



12 Metre

17

SKYJACK SJ6832 RTE

- Fitted with on-board generator to provide power to recharge battery, even while the machine is working
- This machine has the ability to be as versatile as an electric indoor scissor lift
- 454kg capacity

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ6832 RTE

DIMENSIONAL DATA

Platform Height (Raised)	9.75m
Working Height	11.75m
Platform Dimensions	2.44m x 1.42m
Platform Extension	1.5m
Overall Height (Stowed Rails Up)	1.75m
Overall Width	1.72m
Overall Length	3.35m

PERFORMANCE DATA

Weight	4026kg
Platform Capacity	454kg
Platform Capacity (Extended)	227kg
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.02km/h

TYRES: RUBBER NON MARKING

Transport



Rough Terrain Scissor Lifts

Rough Terrain Scissor Lifts are ideally suited for outdoor tasks where additional traction and stability is required to operate on uneven terrain. Each Scissor Lift is fitted with outriggers to level the machine and operate on uneven surfaces. With suitable ventilation, Rough Terrain Scissor Lifts can operate inside meaning greater lift capacity and stabilisation over typical Electric Scissor Lifts.

NCHire offers Rough Terrain Scissor Lifts from 8m - 14m, and can be delivered on site by our trucks.



NCHire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.



◀ **Scan here to view online!**



8 Metre	19
10 Metre	20
12 Metre	21
14 Metre	22

SNORKEL S2255RT

- Only 1.45m wide
- Non-marking tyres
- Only 2,360kg
- Perfect for short-term jobs with the ability to be trailed

SPECIFICATIONS

BRAND	SNORKEL
Model	S2255RT

DIMENSIONAL DATA

Platform Height (Raised)	6.5m
Working Height	8.5m
Platform Dimensions	2.73m x 1.4m
Platform Extension	1.2m
Overall Height	2.35m
Overall Width	1.45m
Overall Length (Stowed)	3.3m

PERFORMANCE DATA

Weight	2,360kg
Platform Capacity	420kg
Platform Capacity (Extended)	100kg
Gradeability	35%
Wind Speed	12.5m/s
Drive Speed (Stowed)	5.2km/h

TYRES: RUBBER NON MARKING

SKYJACK SJ6826 RT

- Nimble in tight spaces and offers superior traction on difficult terrain
- Low loading heights
- SKYJACK models available with pipe racks



SPECIFICATIONS

BRAND	SKYJACK	SNORKEL
Model	SJ6826	2770RT

DIMENSIONAL DATA

Platform Height (Raised)	7.92m	8m
Working Height	9.75m	10m
Platform Dimensions	2.44m x 1.42m	2.74m x 1.65m
Platform Extension Size	1.52m	1.2m
Overall Height (Stowed)	2.38m	2.56m
Overall Width	1.76m	1.77m
Overall Length	2.72m	3.36m

PERFORMANCE DATA

Weight	2903kg	2930kg
Platform Capacity	567kg	580kg
Platform Capacity (Extended)	136kg	136kg
Gradeability	50%	35%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	6.1km/h	4.5km/h

**WE OFFER
EXCELLENT
LONG TERM
RATES!
CALL US NOW
0800 624 473**

Transport



TYRES: RUBBER NON MARKING

SKYJACK SJ6832

- Excellent 4WD capabilities and fast travel speed
- A low stowed height ideal for loading tools and materials
- 1.5m roll-out extension deck can be secured in multiple positions for increased platform space and improved reach capabilities
- SKYJACK models available with pipe racks

SPECIFICATIONS

BRAND	SKYJACK	SNORKEL
Model	SJ6832	377ORT

DIMENSIONAL DATA

Platform Height (Raised)	9.7m	10.1m
Working Height	11.8m	12.1m
Platform Dimensions	2.4m x 1.44m	2.74m x 1.65m
Platform Extension	1.5m	1.5m
Overall Height (Stowed Rails Up)	2.5m	2.70m
Overall Width	1.7m	1.77m
Overall Length	2.7m	3.36m

PERFORMANCE DATA

Weight	3475kg	3620kg
Platform Capacity	454kg	450kg
Platform Capacity (Extended)	150kg	136kg
Gradeability	40%	35%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	6.3km/h	4.5km/h

TYRES: RUBBER NON MARKING



**SKYJACK
4WD SCISSORS
OFFER SUPERIOR
TRACTION
TO OTHER
BRANDS!**



SKYJACK SJ8841

- Lifting capacity of 681kg
- 5.7m deck span
- With non-marking tyres, this unit is excellent for large-scale indoor projects
- Available with pipe racks

SPECIFICATIONS

BRAND

SKYJACK

Model

SJ8841

DIMENSIONAL DATA

Platform Height (Raised)	12.50m
Working Height	14.50m
Platform Dimensions (Stowed)	3.40m x 1.70m
Platform Extension	2.3m
Overall Height (Stowed Rails Up)	2.90m
Overall Width	2.3m
Overall Length	3.40m

PERFORMANCE DATA

Weight	6173kg
Platform Capacity	681kg
Gradeability	30%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.5km/h

TYRES: RUBBER NON MARKING



**MASSIVE
5.7M DECK
SPAN WITH
TWIN SLIDING
DESKS!**

Transport



Introducing... Hire to Buy!

We would like to draw your attention to our popular hire to buy option. This allows you to take our quality equipment for a fixed term with no obligation to purchase. Simply, when you have experienced for yourself the superior performance and higher productivity our excellent equipment has to offer and you wish to purchase, a percentage of your rental payments become a down payment on your machine!

Your Benefits Include

- 100% of rental payments are tax deductible
- Try before you buy!
- All machines maintenance costs are included in the rental price
- NC Hire will also carry out servicing work on machines while in hire period, and provide free 6 Monthly Certifications
- Grow your business with minimal outlay

Talk to us about
Hire to Buy
You could
SAVE Thousands!



Articulating Boom Lifts

Knuckle or Articulating Booms provide the ultimate working platform when needing to reach up and over obstacles. NC Hire offers a range of 16m - 21m including some with inbuilt generators.

All boom lifts can be transported using our own fleet of trucks.



NCHire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.



◀ **Scan here to view online!**



16 Metre	25
----------	----

18 Metre	26
----------	----

21 Metre	27
----------	----

SKYJACK SJ46AJ

- 16m booms are ideal for any commercial building/warehouse
- Best in class/reach for size
- Oscillating axle that can handle rough terrain
- 7KVA power to platform available



SPECIFICATIONS

BRAND	SKYJACK
Model	SJ46AJ

DIMENSIONAL DATA	
Platform Height (Raised)	14.15m
Working Height	16.15m
Platform Dimensions	1.83m x 0.76m
Overall Height (Stowed)	2.07m
Overall Width (Stowed)	2.24m
Overall Length (Stowed)	6.50m
Up and Over Height	7.63m

PERFORMANCE DATA	
Weight	6981kg
Platform Capacity	227kg
Power To Basket (Subject to availability)	7KVA
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.7km/h

TYRES: RUBBER NON MARKING



SKYJACK SJ51AJ

- The SJ51 offers greater reach on the SJ46's while maintaining the compact chassis
- 7.63m up and over height
- Compact, fast machines
- 7KVA power to platform available



SPECIFICATIONS

BRAND SKYJACK

Model	SJ51AJ
-------	--------

DIMENSIONAL DATA

Platform Height (Raised)	15.5m
Working Height	17.5m
Platform Dimensions	1.83m x 0.76m
Overall Height (Stowed)	2.07m
Overall Width (Stowed)	2.24m
Overall Length (Stowed)	7.25m
Up and Over Height	7.63m

PERFORMANCE DATA

Weight	7316kg
Platform Capacity	227kg
Power To Basket (Subject to Availability)	7KVA
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.7km/h

TYRES: RUBBER NON MARKING



SKYJACK SJ63AJ

- A unique knuckle arrangement provides the operator with 12.19m of horizontal reach
- Oscillating axle and superior traction control ensures performance on the toughest terrains
- 7KVA power to platform available



SPECIFICATIONS

BRAND	SKYJACK
Model	SJ63AJ

DIMENSIONAL DATA

Platform Height (Raised)	19.4m
Working Height	21.4m
Overall Height (Stowed)	2.54m
Overall Width (Stowed)	2.44m
Overall Length (Stowed)	9.14m
Up and Over Height	8.38m

PERFORMANCE DATA

Weight	9752kg
Platform Capacity	227kg
Power To Basket (Subject to Availability)	7KVA
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.3km/h

TYRES: RUBBER NON MARKING

**MASSIVE
12.19M OF
HORIZONTAL
REACH**



Trailer Booms

Trailer Booms or Cherry Pickers are ideal for both indoor and outdoor applications where access into small areas is paramount.

Towable by car, makes these machines a very affordable option for short term jobs.



◀ Scan here to view online!



12 Metre Cherrypicker

29

GENIE TZ 34/20

- Ability to be towed on to site
- Very manoeuvrable with self-leveling legs means this can operate on nearly any terrain
- Electric engine means this can be operated both inside and outside

SPECIFICATIONS

BRAND	GENIE
Model	TZ 34/20

DIMENSIONAL DATA	
Working Height	12.36m
Horizontal Reach	5.59m
Lift Capacity	200kg
Platform Dimensions	0.68m x 1.12m
Industry Leading Working Envelope	
Extension Boom	
Self-leveling Platform	
Hydraulic Outriggers	
359° Non-continuous Turntable Rotation	

OPERATE ON NEARLY ANY TERRAIN!



Attachments

NC Hire has a range of attachments to fit our SKYJACK Equipment. Ideal to make your hired machine a more versatile package to suit your application.

With correct and safe use, these are guaranteed to improve productivity by freeing up deck space.



DC Light Duty Pipe Rack	31
-------------------------	----

DC Heavy Duty Pipe Rack	32
-------------------------	----

RT Heavy Duty Pipe Rack	33
-------------------------	----

DC Board Carrier	34
------------------	----

DC LIGHT-DUTY PIPE RACK

Skyjack's light duty pipe rack is meant for maximizing platform work space without sacrificing on productivity. Available on all DC scissor lifts, the pipe rack is an ideal aid for plumbers, electricians and maintenance workers, who want to organize platform materials without limiting machine movement within tight spaces. Mounted on opposite ends of the platform, the pipe rack supports a rated load of 23 kg or 45 kg depending upon machine model.



**MAXIMISE
YOUR
PLATFORM
WORKSPACE!**

SPECIFICATIONS

	SJ 3219	SJ 4626	SJ 4632
Rated work load on pipe rack	23 kg	45 kg	45 kg
Total rated work load including load on pipe rack	220 kg 1 person	227 kg 2 persons	227 kg 1 person
Max wind speed	0 m/s	0 m/s	0 m/s



DC HEAVY-DUTY PIPE RACK

Designed, tested, and certified by Skyjack. For work applications where carrying capacity is critical, the heavy duty pipe rack is the ideal attachment for a safe and secure solution. Mounted at the rear of the platform for optimized platform space, the heavy duty pipe rack has a large work load.



PERFECT FOR FIRE PROTECTION INSTALLERS

Neoprene strip prevents material damage and limits vibration



Two U-brackets are used to mount over the platform railings. The brackets are clamped together with nuts and bolts to keep the rack secured

Durable nylon straps to keep load secure

Mounted on the main platform of the machine. The weight of the pipes are channeled through to the base of the rack, to achieve a high capacity rated load

SPECIFICATIONS

	SJ 3219	SJ 4626	SJ 4632
Rated work load on pipe rack	45 kg	272kg	84 kg
Total rated work load including load on pipe rack	185 kg 1 person	415 kg 1 persons	227 kg 1 person
Max wind speed	9.4 m/s	9.4 m/s	9.4 m/s
Max manual force	200 N	200 N	200 N

RT HEAVY-DUTY PIPE RACK

Ideal for HVAC, plumbing and fire sprinkler installation, the heavy duty pipe rack is designed for durability and sturdiness. The pipe rack provides a high capacity with a rated load up to 320 kg (varies by model) and 40 cm diameter pipes, providing a secure, safe and productive solution.



Neoprene strip prevents material damage and limits vibration

Durable nylon straps to keep load secure

Mounted on the main platform



Holder to carry spools with sizes up to 350 mm diameter by 150 mm wide. A fixed eccentric cap keeps the spool secure and prevents sliding off



U-brackets are used to mount over the platform railings. The brackets are clamped together with nuts and bolts to keep the rack secured

SPECIFICATIONS

	SJ6826 RT	SJ6832 RT	SJ8841 RT
Related work load on pipe rack per pair on supports	205 kg	205 kg	205 kg
Platform total capacity including load on pipe rack	567kg 2 persons	454 kg 1 person	560 kg 2 person
Max wind speed	12.5m/s	12.5m/s	12.5m/s
Max manual force	400 N	200 N	400 N

DC BOARD CARRIER

Maximise productivity with Skyjack's easily installed Board Carrier. Available on all DC scissor lifts, the Board Carrier is designed specifically for applications that require holding and lifting sheet materials. A safe and simple solution, the Board Carrier makes lifting material easier, less strenuous and quicker while leaving the platform free for tools, otehr light material and personnel.



**MAXIMISE
YOUR
PLATFORM
WORKSPACE!**

SPECIFICATIONS

	SJ 3219	SJ 4626	SJ 4632
Rated work load on board carrier	45 kg	45 kg	45 kg
Total rated work load including load on board carrier	206 kg 1 person	433 kg 2 persons	297 kg 1 person
Max wind speed	0 m/s	0 m/s	0 m/s



You Tell us What you Want and When - We'll Get it There!



THE BENEFITS FOR YOU



Focus on Your Job

We'll take care of everything to have your machine on site quickly and efficiently.



We Work With You

We can offer delivery times to suit your situation.



Our Promise is Our Commitment

We'll stand by what we say or else we'll make it up to you!



*Standard travel times apply. Only machines in stock/fleet.

Transport Solutions

NC Hire is able to get any of our rental fleet to your job site, quickly and affordably with our large range of transportation equipment.

We pride ourselves in our quick response times to requests for equipment, by having a dedicated team ready to meet your requests.



◀ Scan here to view online!

Plant Trailers	37
Specialty Trucks	37

PLANT TRAILERS

Our fleet of trailers can transport up to 2.7T making them a great option for transporting any Slab Scissor Lifts. Available for short term hire with equipment, these create a perfect way to cart equipment from site to site yourself.

MID RANGE TRUCKS

Our mid range of trucks share the ability to transport up to 6.5T. With sliding decks and a short wheel base makes them ideal for sites where access is tight,

HEAVY TRAFFIC TRUCKS

Our 'Heavy Traffic' Range of trucks will cart up to 15T, including our large booms or multiple smaller units.

Transport



Transport



Transport



NC TRANSPORT

RELIABLE | **FAST** | COMPETITIVELY PRICED

0800 NC HIRE (624 473) | 021 240 8645

Safety

We pride ourselves in keeping our customers safe, and making sure no preventable accidents can take place.

By not only hiring the best possible machinery, we also carry regular checks and ensure certifications are always carried out. Our staff know the requirements and a full inventory of safety equipment is held onsite.

We also offer complimentary training when machines are delivered on site, as well as NZQA EWP Training.



Training Courses	39
Partners	40

ARE YOU COMPLIANT?

NZQA Operator Training | NCHire



THE HEALTH AND SAFETY IN EMPLOYMENT ACT STATES THAT:

“Employees must be adequately trained in the safe use of equipment in the place of work” to overcome this, the NZQA Training Course, is a course which has been designed and written by HIANZ (Hire Industry Association New Zealand) for Operators to deem them competent to use EWP's (Elevated Work Platforms) and comply with law. Still, while it is not compulsory that operators hold a licence by law, professional training is needed.

OBJECTIVE OF NZQA TRAINING

The Core Objective of the NZQA Training is to provide operators with a greater understanding in the safe operation of multiple EWP's including Scissor Lifts, Vertical Mast Lifts and Trailered Booms. The course outlays the potential for accidents, and then suggests solutions for operators to rectify these.

Unlike some competitors we don't have hidden costs, in fact you get more for your money!

WHEN YOU TRAIN WITH US YOU GET:

- Free Supply of Machines (selected Boom types),
- Free Lunch,
- Industry Knowledge and Background in the use of EWP's,
- Free 25Pg Safe Operation Use of EWP's to take away for future Reference.



BENEFITS

The obvious benefits to companies are immediate! You company will gain higher qualified staff, who have a greater understanding in the operation of EWP's. Companies can expect to also see a drop in maintenance repair costs, as Operators are taught to carry out daily checks on machines - finding problems before they become costly.

Employers benefit through gaining the knowledge that their staff are competent to operate EWP's with a higher level of safety awareness.

Holding a NZQA level of EWP Training will entitle the holder to gain access to most construction sites, or as stipulated by the company the contractor is carrying out work for.

Remember ... don't delay
CALL NOW before it is too late
0800 NCHIRE (624 473)

The Team at NC Hire take Health and Safety very seriously. In our effort of continuous improvement we ensure all equipment meets your site requirements where necessary.

Each machine receives a prehire check which includes a meticulous clean inside and out and operates within its safety parameters. Internal Systems allow us to check if each individual machine has been supplied with correct equipment to ensure you remain safe on and around our equipment.

Machines are available with the following:

- **Satellite Beacons**
- **Flashing Lights**
- **GPS Tracking System**
- **Travel Alarms**
- **Tag Out Devices**

Not Sure About What You Need to Have?...

Give us a Call!

**DON'T RISK BEING
CAUGHT OUT WITH
UNSAFE MACHINERY
ON YOUR SITE**



WORKSAFE
NEW ZEALAND | HĀRE MAUWARU
AOTEAROA



**CANTERBURY REBUILD
SAFETY CHARTER**



Other Divisions

CONSTRUCTION

- Excavators
- Dumpers
- Loaders
- Conveyors
- Trucks
- Attachments




AGRICULTURE

- Tractors
- Drilling Equipment
- Cultivation Equipment
- Mowing Equipment



**After Construction
or Agricultural
equipment?...**

**CALL US TODAY!
0800 624 473**



OUR DIFFERENCE!



SUPERIOR QUALITY

Modern and quality brands presented in the highest possible standard to give our customers the safety, efficiency, peace of mind and professional image they deserve!



RELIABLE SERVICE

We greatly value and appreciate our customers. In the rare occurrence of a failure with any of our equipment, we promise to have someone on site within an hour of your call*



FAST DELIVERY

Our dedicated Operations team can deliver your urgent requests for machinery at short notice, using our own fleet of transport vehicles and drivers.



LONG TERM RENTAL SOLUTIONS

We are negotiable and willing to work with you providing many different solutions and packages such as 'Hire to Buy' in order to grow your business with minimum outlay.

TRUST US TO SAVE YOU MONEY

A partnership with NC Hire as an equipment supplier is guaranteed to save you money. Bring us your requirements and we'll talk about how we can improve your efficiencies and ultimately save you money!



* Subject to location.


NC HIRE

ACCESS EQUIPMENT




Three Great Locations


AMBERLEY | MAIN BRANCH
53 CARTERS RD, AMBERLEY



RANGIORA | DROP-OFF LOCATION
327 WEST BELT, RANGIORA



CHRISTCHURCH | DROP-OFF LOCATION
681A HALSWELL JUNCTION RD








Opening Times

Monday-Friday 7am-5pm

0800 624 473
hire@nchire.co.nz

Why hire from us?

-  SUPERIOR QUALITY
-  RELIABLE SERVICE
-  LONG TERM RENTAL SOLUTIONS
-  FAST DELIVERY
-  TRUST US TO SAVE YOU MONEY