CHRE

2018/19 RENTAL GUIDE



0800 624 473 www.nchire.co.nz

Welcome

Hello and welcome to our all new **2018/19 Rental Guide.**

As a contractor you've got plenty to do and organise in a day-we understand. That's why we've built our business around supporting you and making organising hire equipment a pleasurable experience.

Being a specialist doesn't come easy - NC Hire uses its global connections to source equipment for your complex projects, allowing you to spend more time on the things that make you money.

Get in touch with one of our friendly team for a consultation about how a partnership with NC Hire is guaranteed to improve your productivity.



Why hire from us?

- CUSTOMER SUCCESS
- CUSTOMER SUPPORT
- CUSTOMER DEADLINES
- **EQUIPMENT SPECIALISTS**

CONTENTS













TRANSPORTATION REQUIREMENTS KEY













ABOUT US



Support	6
Sales	7

From humble beginnings in 2003, NC Hire has grown from a division of North Canterbury Equipment to its own company specialising in construction, access and materials handling equipment hire.

By consistently challenging the status quo and making it easy for our customers, our fleet has grown to over 160 machines.

NC Hire now offers a range of sales and support packages to provide you the full solution.

You tell us what you want and when, and we'll get it there!



ABOUT US SUPPORT



When things go wrong, it's the support that counts.

NC Hire is backed by a team of professionals South Island wide, to have you back up running in the shortest time possible.

NC Hire have supplied access and hire equipment to a recently completed complex project in Oxford. They have been a pleasure to deal with, from their professional communication, excellent equipment, competitive rates and ability to help us out on short notice. If we ever had any issues they dealt with them immediately which is critical on tight programmes. I look forward to continuing with NC Hire in the future.



Dedicated Support

0800 624 473 hire@nchire.co.nz

SALES



NC Hires policy is to maintain a **modern**, **low houred fleet**...

and as a result, we have quality, low houred machinery for sale.

You can enjoy peace of mind knowing that all our machinery has been maintained to the highest of standards and can offer the balance of the machine warranty.

Our experience has been excellent so far and we are very happy with the condition and presentation of the machine on its arrival in Tauranga. The machine was delivered on time with no issues and all items accounted for.

Call us now for a list of sales stock.

0800 624 473 021 854 118





Vertical Mast Lifts	11
Electric Scissor Lifts	15
Hybrid Scissor Lifts	23
Rough Terrain Scissor Lifts	25
Articulating Boom Lifts	31
Trailer Booms	35
Attachments	39

NC Hire have been a great asset to our business as we grow. They provide very quick and efficient service with good quality equipment that ensures our work sites run smoothly without hiccup. Recommended!

SAFETY GEAR REQUIREMENTS KEY





Hi-Vis Vest Hard Hat





Work Boots

Harness



Vertical Mast Lifts



Vertical Mast Lifts are perfect for one-man tasks and indoor applications. Compact in design, these make accessing hard to reach places a breeze with a tight turning circle and fast lift speeds.



NC Hire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.

4 Metre	12
6 Metre	13



- Ultra compact design
- Low loading height
- Two person capacity
- Slide-out deck
- Wind rated

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ12

DIMENSIONAL DATA

Platform Height (Raised)	3.65m
Working Height	5.48m
Platform Height (Lowered)	0.45m
Platform Dimensions	0.69m x 0.93m
Overall Height (Stowed)	1.79m
Overall Width	0.77m
Overall Length	1.37m

PERFORMANCE DATA

Weight	782kg
Platform Capacity	227kg
Platform Capacity (Extended)	113kg
Gradeability	30%
Wind Speed (fitted with wind kit)	12.5m/s
Drive Speed (Stowed)	4km/h

TYRES: SOLID NON MARKING











- Ultra compact design
- Low loading height
- Two person capacity
- Slide-out deck
- Excellent reach height with small footprint

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ16

DIMENSIONAL DATA

Platform Height (Raised)	4.75m
Working Height	6.75m
Platform Height (Lowered)	0.45m
Platform Dimensions	0.69m x 0.93m
Overall Height	1.79m
Overall Width	0.76m
Overall Length	1.37m

PERFORMANCE DATA

Weight	966kg
Platform Capacity	227kg
Platform Capacity (Extended)	113kg
Gradeability	30%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	4km/h

TYRES: SOLID NON MARKING









Premium Used Equipment FOR SALE



NC Hire has only the most modern and highly maintained equipment in our fleet; hence why we regularly have quality, low houred machinery for sale.





You can enjoy peace of mind knowing that all our machinery has been maintained to the highest of standards and can offer the balance of the machine warranty.

Call us now for a list of sales stock. **0800 624 473** or **021 854 118**

Electric Scissor Lifts



Electric Slab Scissor Lifts are perfect for any indoor applications where working at height is required.

Non-marking tyres and an array of safety features, standard on all NC Hires Electric Scissor Lifts, ensure any task at height is a breeze. Electric Slab Scissor Lifts range from 4m - 16m, and can be transported on site by NC Hire with either trailer or truck.



NC Hire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.

4 Metre	16
5 Metre	17
8 Metre	18
10 Metre	19
12 Metre	20
14 Metre	21
16 Metre	22



DINGLI SP039-E

- Push around by single operator
- Easy to use controls
- Automatic locking system
- 240Kg capacity



SPECIFICATIONS

BRAND	DINGLI
Model	SP039-E

DIMENSIONAL DATA

Platform Height (Raised)	3.9m
Working Height	5.9m
Platform Dimensions	1.15m x 0.70m
Overall Height	1.92m
Overall Width	0.76m
Overall Length	1.30m

PERFORMANCE DATA

Weight	516kg
Platform Capacity	240kg
Wind Speed	Indoors Rated Only

TYRES: NON MARKING CASTORS









DINGLI S036-RS

- Ideal for low height tasks
- **■** Extremely compact and nimble
- Extendable platform
- Fits inside building lifts

SPECIFICATIONS

BRAND	DINGLI
Model	S036-RS

DIMENSIONAL DATA

Platform Height (Raised)	3.6m
Working Height	5.6m
Platform Dimensions	1.29m x 0.7m
Platform Dimensions (Extended)	1.9m
Overall Height (Stowed)	2.03m
Overall Width (Stowed)	.76m
Overall Length (Stowed)	1.44m

PERFORMANCE DATA

Weight	880kg
Platform Capacity	240kg
Gradeability	25%
Wind Speed	Indoors Rated Only
Drive Speed (Stowed)	4.2km/h

TYRES: SOLID NON MARKING











- Use indoor/outdoor on flat services
- Fold-down handrails; easily fits through doorways
- Standard with non-marking tyres
- Heavy duty brands ensures you stay productive

SPECIFICATIONS

BRAND	SKYJACK	DINGLI	HAULOTTE
Model	SJ3219	S06-E	COMPACT 8

DIMENSIONAL DATA

Platform Height (Raised)	5.8m	5.8m	6.2m
Working Height	7.8m	7.8m	8.2m
Platform Dimensions	1.63m x 0.66m	1.67m x 0.74m	2.31m x 0.81m
Platform Extension Size	0.9m	0.9m	0.92m
Overall Height (Stowed)	2.1m	2.01m	2m
Overall Width	0.8m	0.76m	0.81m
Overall Length	1.8m	1.86m	2.49m

PERFORMANCE DATA

Weight	1312kg	1240kg	1655kg
Platform Capacity	227kg	230kg	350kg
Platform Capacity (Extended)	113kg	115kg	120kg
Grade ability	25%	25%	23%
Wind Speed	12.5m/s	12.5m/s	12.5m/s
Drive Speed (Stowed)	3.7km/h	5km/h	3.3km/h

TYRES: SOLID NON MARKING









- Choose from wide/narrow body to suit your task
- Increased platform capacity of 454kg
- Fold-down handrails

SPECIFICATIONS

BRAND	SKYJACK	SKYJACK
Model	SJ3226	SJ4626

DIMENSIONAL DATA

Platform Height (Raised)	8m	8m
Working Height	10m	10m
Platform Dimensions	2.13m x 0.71m	2.13mm x 1.07m
Platform Extension	0.83m	0.91m
Overall Height (Stowed)	2.15m	2.15m
Overall Width	0.81m	1.17m
Overall Length	2.13m	2.31m

PERFORMANCE DATA

Weight	2132kg	2760kg
Platform Capacity	227kg	454kg
Platform Capacity (Extended)	113kg	136kg
Gradeability	25%	25%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	3.2km/h	3.2km/h

TYRES: SOLID NON MARKING











- Large, stable platform area
- Low stowed height and fold-down handrails means access through low overhead doors

SPECIFICATIONS

BRAND	SKYJACK	DINGLI
Model	SJ4632	S1012E

DIMENSIONAL DATA

Platform Height (Raised)	9.8m	10m
Working Height	11.8m	12m
Platform Dimensions	2.14m x 1.07m	2.27mm x 1.12m
Platform Extension	0.91m	0.9m
Overall Height (Stowed)	2.15m	2.47m
Overall Width	1.2m	1.15m
Overall Length	2.3m	2.48m

PERFORMANCE DATA

Weight	2760kg	2730kg
Platform Capacity	319kg	320kg
Platform Capacity (Extended)	196kg	113kg
Gradeability	25%	25%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	2.4km/h	5km/h

TYRES: SOLID NON MARKING



ALL NCHIRE'S SCISSOR LIFTS FEATURE 'DRIVEABLE AT FULL HEIGHT' FUNCTION







DINGLI S1212 E

- 320kg capacity
- Only 1.15m wide
- Ideal machine for warehouses and supermarkets.
- Indoor rated only

SPECIFICATIONS

BRAND	DINGLI
Model	S1212 E

DIMENSIONAL DATA

Platform Height (Raised)	12m
Working Height	14m
Platform Dimensions	2.27m x 1.12m
Platform Extension	0.9m
Overall Height (Stowed Rails Up)	2.59m
Overall Width	1.15m
Overall Length	2.48m

PERFORMANCE DATA

Weight	2900kg
Platform Capacity	320kg
Platform Capacity (Extended)	113kg
Gradeability	25%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	5km/h

TYRES: SOLID NON MARKING



14M WORKING
HEIGHT MAKES
THIS ELECTRIC SLAB
SCISSOR LIFT PERFECT
FOR WAREHOUSES
AND SUPERMARKET
PROJECTS







DINGLI S1414 E

- Biggest electric slab scissor lift in NC Hires fleet
- 320kg capacity
- Only 1.5m wide

SPECIFICATIONS

BRAND	DINGLI
Model	S1414 E

DIMENSIONAL DATA

Platform Height (Raised)	14m
Working Height	16m
Platform Dimensions	2.27m x 1.12m
Platform Extension	0.9m
Overall Height (Stowed Rails Up)	2.59m
Overall Width	1.15m
Overall Length	2.48m

PERFORMANCE DATA

Weight	3000kg
Platform Capacity	320kg
Platform Capacity (Extended)	113kg
Gradeability	25%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	5km/h

TYRES: SOLID NON MARKING



A MASSIVE
16M WORKING
HEIGHT MAKES THIS
ELECTRIC SLAB
SCISSOR LIFT PERFECT
FOR WAREHOUSES
AND SUPERMARKET
PROJECTS







Hybrid Scissor Lifts



NC Hire offers unique Hybrid Scissor Lifts, having the characteristics of an Electric Scissor Lift but drive power and lift capacity of a Rough Terrain. It operates like an Electric Scissor lift, and if the battery level drops below a set parameter a Diesel generator starts to charge the batteries up.



NC Hire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.

12 Metre

24

SKYJACK SJ6832 RTE

- Fitted with on-board generator to provide power to recharge battery, even while the machine is working
- This machine has the ability to be as versatile as an electric indoor scissor lift
- 454kg capacity

SPECIFICATIONS

BRAND	SKYJACK	
Model	SJ6832 RTE	

DIMENSIONAL DATA

Platform Height (Raised)	9.75m
Working Height	11.75m
Platform Dimensions	2.44m x 1.42m
Platform Extension	1.5m
Overall Height (Stowed Rails Up)	1.75m
Overall Width	1.72m
Overall Length	3.35m

PERFORMANCE DATA

Weight	4026kg
Platform Capacity	454kg
Platform Capacity (Extended)	227kg
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.02km/h

TYRES: RUBBER NON MARKING













Rough Terrain Scissor Lifts



Rough Terrain Scissor Lifts are ideally suited for outdoor tasks where additional traction and stability is required to operate on uneven terrain. Each Scissor Lift is fitted with outriggers to level the machine. With suitable ventilation, Rough Terrain Scissor Lifts can operate inside meaning greater lift capacity and stabilisation over typical Electric Scissor Lifts.

Our Rough Terrain Scissor Lifts can be delivered on site by our trucks.



NC Hire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.

8 Metre	26
10 Metre	27
12 Metre	28
14 Metre	29



SNORKEL S2255RT

- Only 1.45m wide
- Non-marking tyres
- Only 2,360kg
- Perfect for short-term jobs with the ability to be trailered

SPECIFICATIONS

BRAND	SNORKEL
Model	S2255RT

DIMENSIONAL DATA

Platform Height (Raised)	6.5m
Working Height	8.5m
Platform Dimensions	2.73m x 1.4m
Platform Extension	1.2m
Overall Height	2.35m
Overall Width	1.45m
Overall Length (Stowed)	3.3m

PERFORMANCE DATA

Weight	2,360kg
Platform Capacity	420kg
Platform Capacity (Extended)	100kg
Gradeability	35%
Wind Speed	12.5m/s
Drive Speed (Stowed)	5.2km/h

TYRES: RUBBER NON MARKING













SKYJACK SJ6826 RT

- Nimble in tight spaces and offers superior traction on difficult terrain
- Low loading heights
- SKYJACK models available with pipe racks



SPECIFICATIONS

BRAND	SKYJACK	SNORKEL
Model	SJ6826	2770RT

DIMENSIONAL DATA

Platform Height (Raised)	7.92m	8m
Working Height	9.75m	10m
Platform Dimensions	2.44m x 1.42m	2.74m x 1.65m
Platform Extension Size	1.52m	1.2m
Overall Height (Stowed)	2.38m	2.56m
Overall Width	1.76m	1.77m
Overall Length	3.35m	3.36m

PERFORMANCE DATA

Weight	3305kg	2930kg
Platform Capacity	567kg	580kg
Platform Capacity (Extended)	136kg	136kg
Grade ability	50%	35%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	6.1km/h	4.5km/h

TYRES: RUBBER NON MARKING

WE OFFER EXCELLENT LONG TERM RATES! CALL US NOW 0800 624 473









- Excellent 4WD capabilities and fast travel speed
- A low stowed height ideal for loading tools and materials
- 1.5m roll-out extension deck can be secured in multiple positions for increased platform space and improved reach capabilities
- SKYJACK models available with pipe racks

SPECIFICATIONS

BRAND	SKYJACK	SNORKEL
Model	SJ6832	3770RT

DIMENSIONAL DATA

Platform Height (Raised)	9.7m	10.1m
Working Height	11.8m	12.1m
Platform Dimensions	2.4m x 1.44m	2.74m x 1.65m
Platform Extension	1.5m	1.5m
Overall Height (Stowed Rails Up)	2.5m	2.70m
Overall Width	1.7m	1.77m
Overall Length	3.35m	3.36m

PERFORMANCE DATA

Weight	3655kg	3620kg
Platform Capacity	454kg	450kg
Platform Capacity (Extended)	150kg	136kg
Gradeability	40%	35%
Wind Speed	12.5m/s	12.5m/s
Drive Speed (Stowed)	6.3km/h	4.5km/h

TYRES: RUBBER NON MARKING



SKYJACK 4WD SCISSORS OFFER SUPERIOR TRACTION TO OTHER BRANDS!







- Lifting capacity of 681kg
- 5.7m deck span
- With non-marking tyres, this unit is excellent for large-scale indoor projects
- Available with pipe racks

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ8841

DIMENSIONAL DATA

Platform Height (Raised)	12.50m
Working Height	14.50m
Platform Dimensions (Stowed)	3.40m x 1.70m
Platform Extension	2.3m
Overall Height (Stowed Rails Up)	2.90m
Overall Width	2.3m
Overall Length	3.40m

PERFORMANCE DATA

Weight	6173kg
Platform Capacity	681kg
Gradeability	30%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.5km/h

TYRES: RUBBER NON MARKING



MASSIVE 5.7M DECK SPAN WITH TWIN SLIDING DESKS!







Introducing Hire to Buy!

Have you thought about our popular **Hire to Buy** option?

This allows you to take our quality equipment for a fixed term with no obligation to purchase. Simply, when you have experienced for yourself the superior performance and higher productivity our excellent equipment has to offer and you wish to purchase, a percentage of your rental payments become a down payment on your machine!

The Benefits Include:

- 100% of rental payments are tax deductible
- Try before you buy!
- All machines maintenance costs are included in the rental price
- NC Hire will carry out servicing work on machines while in hire period, and provide free 6 Monthly Certifications
- Grow your business with minimal outlay



Talk to us about Hire to Buy... 0800 624 473 or 021 854 118

Articulating Boom Lifts



Knuckle or Articulating Boom Lifts provide the ultimate working platform when needing to reach up and over obstacles. NC Hire offers a range of 16m - 21m lifts including some with inbuilt generators.

All boom lifts can be transported using our own fleet of trucks.



NC Hire are the New Zealand distributors for Skyjack. If you are considering purchasing either new or used please don't hesitate to call us for a quote.

16 Metre	32
18 Metre	33
21 Metre	34

SKYJACK SJ46AJ

- 16m booms are ideal for any commercial building/warehouse
- Best in class/reach for size
- Oscillating axle that can handle rough terrain
- 7KVA power to platform available
- Superior traction/all-terrain ability

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ46AJ

DIMENSIONAL DATA

Platform Height (Raised)	14.15m
Working Height	16.15m
Platform Dimensions	1.83m x 0.76m
Overall Height (Stowed)	2.07m
Overall Width (Stowed)	2.24m
Overall Length (Stowed)	6.50m
Up and Over Height	7.63m

PERFORMANCE DATA

Weight	6981kg
Platform Capacity	227kg
Power To Basket (Subject to availability)	7KVA
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.7km/h

TYRES: RUBBER NON MARKING







Available







SKYJACK SJ51AJ

- The SJ51 offers greater reach than the SJ46's while maintaining the same compact chassis
- 7.63m up and over height
- Compact, fast machines
- 7KVA power to platform available

SPECIFICATIONS

BRAND

Model

Model	ر ۱۰ کرد
DIMENSIONAL DATA	
Platform Height (Raised)	15.5m
Working Height	17.5m
Platform Dimensions	1.83m x 0.76m

SKYJACK

SI51ΔI

•	
Working Height	17.5m
Platform Dimensions	1.83m x 0.76m
Overall Height (Stowed)	2.07m
Overall Width (Stowed)	2.24m
Overall Length (Stowed)	7.25m
Up and Over Height	7.63m

PERFORMANCE DATA

7316kg
227kg
7KVA
45%
12.5m/s
7.7km/h

TYRES: RUBBER NON MARKING













SKYJACK SJ63AJ

 A unique knuckle arrangement provides the operator with 12.19m of horizontal reach

 Oscillating axle and superior traction control ensures performance on the toughest terrains

7KVA power to platform available

SPECIFICATIONS

BRAND	SKYJACK
Model	SJ63AJ

DIMENSIONAL DATA

Platform Height (Raised)	19.4m
Working Height	21.4m
Overall Height (Stowed)	2.54m
Overall Width (Stowed)	2.44m
Overall Length (Stowed)	9.14m
Up and Over Height	8.38m

PERFORMANCE DATA

Weight	9752kg
Platform Capacity	227kg
Power To Basket (Subject to Availability)	7KVA
Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.3km/h

TYRES: RUBBER NON MARKING













Trailer Booms



Trailer Booms or Cherry Pickers are ideal for both indoor and outdoor applications where access into small areas is paramount.

Towing by car makes these machines a very affordable option for short term jobs.

12 Metre	36
15 Metre	37

SNORKEL MHP 13/35

- Safe and stable working height of up to 12.6m
- Heavy duty trailer mounted articulated boom lift
- Robust steel platform with two man capacity
- Easy to use outrigger/boom safety interlocks
- Ideal for a wide range of construction, building and maintenance applications



SPECIFICATIONS

BRAND SNORKEL

Model	MHP 13/35

DIMENSIONAL DATA

Working Height	12.6m
Horizontal Reach	5.6m
Lift Capacity	227kg
Platform Dimensions	0.78m x 1.25m

Industry Leading Working Envelope

Fitted with Jib Boom

Self-leveling Platform

Hydraulic Outriggers

540° Non-continuous Turntable Rotation













SNORKEL MHP 15HD

- Working height of up to 14.8m
- Heavy duty trailer mounted articulated boom lift
- Superb and efficient engine for a smooth and accurate response
- Easy to use outrigger/boom safety interlocks
- Ideal for a wide range applications

SPECIFICATIONS

BRAND	SNORKEL
Model	MHP 15HD

DIMENSIONAL DATA

Working Height	14.8m
Horizontal Reach	7m
Lift Capacity	227kg
Platform Dimensions	0.77m x 1.24m

Industry Leading Working Envelope

Fitted with Jib Boom

Self-leveling Platform

Hydraulic Outriggers

540° Non-continuous Turntable Rotation

















NC Hire has a range of attachments to fit our SKYJACK Equipment. Ideal for making your hired machine a more versatile package to suit your application.

With correct and safe use, these are guaranteed to improve productivity by freeing up deck space.

DC Light Duty Pipe Rack	40
DC Heavy Duty Pipe Rack	41
RT Heavy Duty Pipe Rack	42
DC Board Carrier	43

PIPE RACK

DC LIGHT-DUTY

Skyjack's light-duty pipe rack is designed for maximizing platform work space without sacrificing on productivity. Available on all DC scissor lifts, the pipe rack is an ideal aid for plumbers, electricians and maintenance workers who want to organize platform materials without limiting machine movement within tight spaces. Mounted on opposite ends of the platform, the pipe rack supports a rated load of 23 kg or 45 kg depending upon machine model.



NORKSPACE!



	SJ 3219	SJ 4626	SJ 4632
Rated work load on pipe rack	23 kg	45 kg	45 kg
Total rated work load including load on pipe rack	220 kg 1 person	227 kg 2 persons	227 kg 1 person
Max wind speed	0 m/s	0 m/s	0 m/s





DC HEAVY-DUTY

Designed, tested and certified by Skyjack for work applications where carrying capacity is critical, the heavy-duty pipe rack is the ideal attachment for a safe and secure solution. Mounted at the rear of the platform for optimized platform space, the heavy-duty pipe rack has a large work load.





	SJ 3219	SJ 4626	SJ 4632
Rated work load on pipe rack	45 kg	272kg	84 kg
Total rated work load including load on pipe rack	185 kg 1 person	415 kg 1 persons	227 kg 1 person
Max wind speed	9.4 m/s	9.4 m/s	9.4 m/s
Max manual force	200 N	200 N	200 N

RT HEAVY-DUTY

Ideal for HVAC, plumbing and fire sprinkler installation, this heavy-duty pipe rack is designed for durability and sturdiness. The pipe rack provides a high capacity with a rated load up to 320 kg (varies by model) and 40 cm diameter pipes, providing a secure, safe and productive solution.





to keep the rack secured

	SJ6826 RT	SJ6832 RT	SJ8841 RT
Related work load on pipe rack per pair on supports	205 kg	205 kg	205 kg
Platform total capacity including load on pipe rack	567kg 2 persons	454 kg 1 person	560 kg 2 person
Max wind speed	12.5m/s	12.5m/s	12.5m/s
Max manual force	400 N	200 N	400 N

DC BOARD CARRIER

Maximise productivity with Skyjack's easily installed Board Carrier. Available on all DC scissor lifts, the Board Carrier is designed specifically for applications that require holding and lifting sheet materials. A safe and simple solution, the Board Carrier makes lifting material easier, less strenuous and quicker, while leaving the platform free for tools, other light materials and personnel.



	SJ 3219	SJ 4626	SJ 4632
Rated work load on board carrier	45 kg	45 kg	45 kg
Total rated work load including load on board carrier	206 kg 1 person	433 kg 2 persons	297 kg 1 person
Max wind speed	0 m/s	0 m/s	0 m/s







CONSTRUCTION



Excavators	47
Wheeled Loaders	51
Tracked Loaders	53
Rollers	55
Dumpers	61
Compaction	65
Lighting Towers	69
Highway Trucks	73
Water Carts	77
Attachments	81
Construction Tools	87

NC Hire have been a great asset to our business as we grow. They provide very quick and efficient service with good quality equipment that ensures our work sites run smoothly without hiccup. Recommended!





NC Hire has a large Range of Excavators from 1T - 14T in our fleet ready to meet your requirements.

All Equipment remains modern and highly maintained guaranteed to improve your efficiency.

The latest Tier 4 Engines deliver superior power for their size whilst saving you fuel and reducing environmental impact.

Mini Excavators	48
Compact Excavators	49
Large Excavators	50



We can supply a range of Trailered Excavators from 1T - 2.5T in our fleet ready to meet your requirements.

Trailered Excavators can be towed with suitable vehicles, making them ideal for smaller scale projects.

SPECIFICATIONS (TRAILERED)

OPERATING WEIGHT (T)	DIGGING DEPTH (MM)	WIDTH (MM)	TRANSPORT
1	1400	680	0
1.7	2200	1280	0
2	2440	1380	0 1
2.5	2745	1500	0 1

BENEFITS

- Tilt Bucket Allows operator to shape areas.
- Purpose Built Trailer Get machines to remote locations.
- Rubber Tracks Less disturbance to ground.
- Slew Boom Access areas up against structures.
- Blade Can be used for levelling.
- Zero Tail Swing Allows work in confined spaces.









Our Compact Range of Excavators include from 3.5T - 10T.

Available with a wide range of attachments and array of safety features make these ideal for your work site.

SPECIFICATIONS

OPERATING WEIGHT (T)	DIGGING DEPTH (MM)	WIDTH (MM)	TRANSPORT
3.5	3300	1740	
5.5	3980	1990	-
8	4400	2270	-00-0
10	4530	2320	-00-0

^{*} Where available

BENEFITS

- **Tilt Bucket** Allows operator to shape areas.
- Rubber Tracks Less disturbance to ground.
- Air Conditioned Cabs*- Operate in all elements.
- Quick Hitch Quick and safe connection of attachments.
- Slew Boom* Access areas up against structures.
- Blade Can be used for levelling.



EXCAVATORS LARGE



DETAILS

Our range of large excavators are suitable for bulky projects where extra power and size is required.



SPECIFICATIONS

OPERATING WEIGHT (T)	DIGGING DEPTH (MM)	WIDTH (MM)	TRANSPORT
14	5900	2490	

^{*} Where available

BENEFITS

- Tilting Hitch* Allows tilt of each bucket.
- Steel Tracks Additional traction on slippery slopes.
- Air Conditioned Cabs Operate in all elements.
- Quick Hitch Quick and safe connection of attachments.
- Blade Can be used for levelling.
- NZ Road Registered Legally work on and around roads.







Wheeled Loaders



NC Hire has an extensive range of Articulated Wheeled Loaders.

Wheeled/Articulating Loaders are excellent workhorses on site for carting of all kinds of materials.

Wheeled Loaders

50

51

LOADERS WHEELED



DETAILS

Our range of Articulated Wheeled Loaders for 2-8T will see your small to medium site requirements covered.

Our Wheeled Loaders are fitted with Universal Hitches to fit a wide range of attachments, making them an essential tool on the job site.

SPECIFICATIONS

	OPERATING WEIGHT (T)	BUCKET CAPACITY (M³) Normal Heaped		TRANSPORT
•	2	-	0.25	0 1
	4	-	0.5	-0-0.
	6	0.75	1.25	-00-0
	8	1.05	1.8	-00-0

BENEFITS

- Large Rubber Flotation Tyres -Maximum traction.
- Cabbed/Non-cabbed Choose a machine that suits you.
- NZ Road Registered Legally work on and around roads.







Tracked Loaders



NC Hire has an extensive range of Tracked Loaders.

Track Loaders are perfectly suited on loose, muddy and uneven sites and are designed to conquer the harshest of terrain.

Tracked Loaders

5/

www.nchire.co.nz



Tracked Loaders deliver best-in-class bucket breakout force, lifting capacity, outstanding stability and a wide and comfortable operator area. An essential tool for any demanding site.

SPECIFICATIONS

OPERATING WEIGHT (T)	BUCKET CAPACITY (M³)	TRANSPORT
2	0.3	0 1
4	0.5	-0-0-

^{*} Where available

BENEFITS

- Enclosed/Air Conditioned Cab* -Operate in all elements.
- **Rubber Tracks** Less disturbance to ground.
- Quick Coupler Quick and safe change of attachments.
- Working Lights Work when it suits you.
- **4 in 1 Bucket** Extremely versatile attachment.



Rollers



Our large range of Rollers are suitable for the smallest to largest jobs, including Vibrating Rollers from 500kg to 8000kg.

Remote Control Rollers	56
Pedestrian Rollers	57
Double Drum Rollers	58
Combination Rollers	59
Construction Rollers	60



These rollers feature an articulating joint which increases manoeuvrability while a low centre of gravity improves stability. Safety features include operator alert of any close persons/objects.

BENEFITS

- Removable Side Rollers Get into narrower trenches.
- Large Lifting Point Easily and safely lower into trenches.
- Latest Safety Features Ensures your crew stay safe in trenches.
- Powerful Diesel Engine Power through the toughest conditions.

WEIGHT	WIDTH	COMPACTION	TRANSPORT
(KG)	(MM)	RATING (KN)	
1500	820	75	0

ROLLERS PEDESTRIAN



DETAILS

Ideal for asphalt compaction due to the high frequency and a specially bevelled drum edge to ensure a perfect 'line free' job.

BENEFITS

- Water Tank/Bevelled Edge Allows for a perfect finish.
- **Trailer Ability** Tow away yourself to the job site.

WEIGHT	WIDTH	COMPACTION	TRANSPORT
(KG)	(MM)	RATING (KN)	
430	900	12.5	0



Featuring the latest technology with automatic water control and vibration.

BENEFITS

- Large Capacity Fuel and Water Tanks - Full day operation creating greater efficiency.
- Multi-position Seat Allows operator to position seat for optimal operation.
- Auto-start Vibration Delivers a perfect finish and eliminates risk of damage to surface.

WEIGHT (KG)	WIDTH (MM)	COMPACTION RATING (KN)	TRANSPORT
1500	800	15.6	0
1700	1000	17.8	0
2500	1200	37	0 1
4000	1485	36	-0-0-



ROLLERS COMBINATION



DETAILS

Our range of Combination Rollers feature a frontmounted vibration drum and rear-mounted pneumatic tyres, ideal for mid-sized projects.

Featuring the latest technology with automatic water control and vibration.

BENEFITS

- **Multi-position Seat** Allows operator to position seat for optimal operation.
- Working LED Lights Work when it suits.
- Folding ROPs and Canopy Access low height areas.
- Inbuilt Sprinkler System Achieve maximum compaction and control dust.

WEIGHT	WIDTH	COMPACTION	TRANSPORT
(KG)	(MM)	RATING (KN)	
4000	1400	33.9	



Our range of Compact Construction Rollers feature front mounted Vibrating Drums and rear drive tyres.

Fitted with ROPS Cabins and the latest compaction technology, these are ideal for medium roading contracts or even large scale commercial projects.

BENEFITS

- Spacious Cabin Be comfortable 24/7 with acoustic and vibration insulation.
- No-spin Axles, 100% Self-locking

 Keep continuous ground contact
 even on highly uneven surfaces.
- Environmentally Friendly Engine Technology - Saves up to 30% fuel and makes for a quieter work environment.

WEIGHT	WIDTH	COMPACTION	TRANSPORT
(KG)	(MM)	RATING (KN)	
7800	1820	112/74	-00-0:

Dumpers



Dumpers are a convenient way to shift material around your site.

NC Hire has a range of tracked and wheeled dumpers to suit all kinds of materials, site conditions and terrain.

Tracked Dumpers	62
Wheeled Dumpers	63



Featuring '3 Way Tip' and a fast traveling speed makes this an excellent way to get material into tight spaces in no time.

BENEFITS

- **Rubber Tracks** Allows for maximum traction.
- **3 Way Tipping** Get your material where you need it.
- Folding ROPs Frame Access low height areas.

CAPACITY (T)	WIDTH (MM)	SKIP	TRANSPORT
1.2	950	3 way	0



Articulated Wheeled Dumpers are ideal for soft and rough terrain. Smaller Dumper units feature swivel skips allowing maximium efficiency on site.

DEIMELLIS

- Large Flotation Tyres Minimal ground disturbance and maximum traction.
- **High Ground Clearance** Built to handle rough terrain.
- Folding ROPs Frame Access low height areas.

MAX CAPACITY (T)	OPERATING WEIGHT (T)	SKIP	TRANSPORT
1	1.3	High Tip	0 1
3	2.3	Swivel	0 1
6	4.3	Swivel	-00-0:
9	4.7	Swivel	-00-0



Compaction



Our large range of Compaction Equipment includes Vibrating Plate Compactors from 45kg-400kg, suitable for the smallest to largest jobs.

Trench Rammers	66
Plate Compactors	67



Trench Rammers / Jumping Jacks are ideal for compacting material where space is tight around obstacles.

BENEFITS

- **Ergonomic Handles** Less strain over longer periods.
- Fuel Efficient Save on fuel and money.
- Range of Pad Sizes Great for different sized projects.

WEIGHT (KG)	WIDTH (MM)	COMPACTION RATING (KN)	TRANSPORT
60	28	13	
70	30	15	



Our Vibrating Plate Compactors include the smallest push along units to the self propelled units.

Large units are complete with a purpose built trailer.

SPECIFICATIONS

WEIGHT (KG)	WIDTH (MM)	COMPACTION RATING (KN)	TRANSPORT
50	350	10	000
60	350	15	
100	450	20	
350	600	45	0 1
400	600	50	0 1

BENEFITS

- Ergonomic Handles Less strain over longer periods.
- Fuel Efficient Save on fuel and money.

Introducing Hire to Buy!

Have you thought about our popular **Hire to Buy** option?

This allows you to take our quality equipment for a fixed term with no obligation to purchase. Simply, when you have experienced for yourself the superior performance and higher productivity our excellent equipment has to offer and you wish to purchase, a percentage of your rental payments become a down payment on your machine!

The Benefits Include:

- 100% of rental payments are tax deductible
- Try before you buy!
- All machines maintenance costs are included in the rental price
- NC Hire will carry out servicing work on machines while in hire period, and provide free 6 Monthly Certifications
- Grow your business with minimal outlay



Lighting Towers



When you need to illuminate a large area, our range of Lighting Towers are up for the task. These robust, durable and super heavy duty towers are suitable to be towed to site and simple to operate.

Available in two sizes, we'll have your site lit up small or large.

Residential - LED	70
Commercial - LED/Halide	71




Designed to tackle metro, construction and civil projects, the X-ECO can be efficiently transported behind a vehicle and comes complete with hydraulic mast raise, light tilt, and 340 degree mast rotation.

BENEFITS

- Extremely Quiet Diesel Engine Work in built-up residential areas.
- **Simple Operation** Easy to operate and use.
- **Light Tilt/Mast Rotation** Get the light exactly where required.
- On/Off Timer Set it to switch on when dark.
- 9m Mast Get light exactly where required.

NUMBER OF	TYPE OF	TOTAL LIGHT	TRANSPORT
LIGHTS	LIGHTS	OUTPUT	
6	150W LED	3800 SQM	0



Reliable, strong and tough. These units are designed for Mine-Spec use and built to shine light when you need it.

BENEFITS

- **Diesel Powered** Reliable engine will power you when required.
- Hydraulic Light Tilt Adjust from the ground.
- 9m Hydraulic Mast Get light where you need it.
- Available in LED/Halide

NUMBER OF LIGHTS	TYPE OF LIGHTS	FUEL CAPACITY (L)	TRANSPORT
8	300W LED	130	0



Highway Trucks



Our Highway Trucks range from 5T to 8T. All units have tipping capability and are in near-new condition. Most of our trucks are complete with tow-bars and drainage chutes. Additional extras can be added upon booking confirmation.

With NC Hire you have the choice of putting your company logo on your hired units.

Mini Tippers	74
Medium Tippers	75



DETAILS

We have variety of makes/models available for hire in near-new condition.



SPECIFICATIONS

CARACITY

(T)	DETAIL
5	Tipper, Swing Tailgate with Chute, Drawbar

BENEFITS

- Solid, Reliable Brands NC Hire only operated tried and proved brands that will keep you productive.
- Customisable Tell us about you require and we'll partner together to deliver a truck suited for you needs.
- Latest Technology Improved fuel economy and the latest safety features.

HIGHWAY TRUCKS



DETAILS

We have variety of makes/models available for hire in near-new condition.

Also available with Water Cart attachments.



SPECIFICATIONS

CAPACITY (T)	DETAIL
8	Tipper, Swing Tailgate with Chute, Drawbar

BENEFITS

- Solid, Reliable Brands NC Hire only operate tried and proven brands that will keep you productive.
- Customisable Tell us about you require and we'll partner together to deliver a truck suited for you needs.
- Latest Technology Improved fuel economy and the latest safety features.
- GPS Tracking NC Hire can take care of your fleet with comprehensive tracking systems.
- Versatility Ideal for excavator cartage and drainage contractors, with drainage chutes and tie-down points.

Long Term Rentals

Customise our machines with your own company logo!

We work with you to provide solutions to your long term rental requirements. Our industry knowledge and experience means we understand what you need.

Your Benefits Include

- Improve your Company Image
- Competitively priced
- Fully serviced and maintained
- **■** Modern machinery
- Variety of attachments available
- Brand the machine with your company logo
- Access to Dedicated Account Manager - 24/7



Call us for more information... 0800 624 473 or 021 854 118



NC Hire has a range of small to medium Water Carts to tackle your dust suppression requirements. Our popular Trailered units are ideal for small/compact projects with the Trucked units being suitable for commercial and roading projects.

Trailered	78
Trucked	79

WATER CARTS TRAILERED



DETAILS

These popular 2000L Trailered Water carts are perfectly suited for small/compact projects for both dust suppression and compaction needs.

Complete with an inlet hose, these can be refill from nearly any water source. Also suitable for cleaning machinery with the spray hose.

BENEFITS

- 15m Hose Reel Ideal for spot spraying.
- Dust Suppression Bar Controlled from the vehicle headlamps makes it ideal for medium sized projects.
- Inlet Hose Fill up from most water sources.

SPECIFICATIONS

CAPACITY (L)	WEIGHT (Filled)	SPREAD (Approx)
2000	2500	10-15m



DETAILS

Available in the fleet is a range of Water Carts to fit our Class Two Trucks as an attachment. Comes complete with in-cab controls, baffle system and hose reel.

Offers the opportunity to use the truck for twin purpose - with or without Water Cart attachment.

BENEFITS

- Inlet Hose Fill up from creeks, open water sources.
- In-Cab Controls Control flow without leaving the cab.
- **Hose Reel** Ideal for small tasks with exact water placement.

SPECIFICATIONS

CAPACITY (L)	ENGINE	NOZZLES
6000	Petrol	3 Adjustable Outputs
7000	Petrol	3 Adjustable Outputs





Attachments



NC Hire can supply a huge range of attachments to suit our Excavators and Loaders, making them a versatile package suitable for a variety of tasks.

Look out for the icons in the excavator and loader sections to see what attachments are available for your excavator or loader.

Excavator	82
Loader	84

ATTACHMENTS EXCAVATOR



RIPPER

Single Leg Rippers suitable for Root Removal.

To Fit 1.7 - 10T



CONCRETE BREAKER

Hydraulic Concrete Breakers suitable for breaking concrete or similar.

To Fit 1.7 - 10T



AUGER UNIT

Hydraulic Auger Units ideal for drilling holes in difficult areas.

To Fit 0.8 - 10T

Drill Bits 150 - 800mm





ATTACHMENTS EXCAVATOR



MULTI GRAB

Hydraulic Operated Bucket with thumb like arm, suitable for tree, demolition and rock work.

To Fit 2 - 14T



TILT BUCKET

Tilt Buckets are standard on all excavators making shaping or precise movements a breeze.

To Fit 1.7 - 14T



ROOT RAKE

Root Rake suitable for tree work/demolition.

To Fit 14T



ATTACHMENTS



FORK

Industrial Forks make an ideal choice for shifting pallets or materials around on site.



AUGER UNIT

Augers are excellent for large scale boring tasks, with accurate control and clear visibility.



LANDSCAPE RAKE

Harley Rakes have the ability to transform many rough areas into levelled, tidy areas!





ATTACHMENTS LOADER



4 IN 1 BUCKET

4 in 1 Buckets are ideal for levelling material and also acting as a grab.



6 WAY DOZER BLADE

6 Way Hydraulic Dozer blade makes short work of areas which require cleaning and shaping work.



ACCUMULATOR BROOM

Hydraulically operated 1.8m broom will have large areas cleaned in no time. Double way broom means you have freedom to push or pull material.



ATTACHMENTS LOADER



GRAB BUCKET

Ideal for light tree work with hydraulically operated front grab.



CHAIN TRENCHER

Available with a large range of tooth designs means you get your job done no matter what environment you're working in. Comes complete with precision depth control skid.





Can't see what you're looking for?

We're always keen to add more equipment and attachments to our fleet.

CALL US TODAY! 0800 624 473

Construction Tools



NC Hire can supply a range of small hand-held Construction Tools, meaning we can be your one-stopshop for civil projects.

Concrete Equipment	88
Generators	89
Pumps	89

CONSTRUCTION TOOLS



CONCRETE BREAKERS

Our range of powerful medium to large hand-held Concrete Breakers are suitable for areas where large machines can't access.



CONCRETE SAWS

Our range of Concrete Saws can come complete with carts and dust suppression tanks upon request.



POWER TROWELS

Our range of concrete Power Trowels make quick work of any small to medium sized project.

CONSTRUCTION TOOLS



CONCRETE VIBRATORS

Our range of Concrete Vibrators are available with multiple sized spuds.



GENERATORS

Our range of Petrol Generators include:

- 2KVA Inverters
- 5-10KVA Wheeled Units



PUMPS

Our range of Petrol Powered Pumps include:

- 3' Fresh Water Pumps
- 2' Full Trash Pumps

Materials Handling



MATERIALS HANDLING



Telehandlers 93

The communication throughout made the experience extremely easy and enjoyable. I was very happy with the condition of the machine. It had been well groomed and well looked after. It was fair to say I was pleasantly surprised when it arrived, as it was in immaculate condition.



Telehandlers



NC Hire now offer Telehandlers in our Materials Handling Division. We have invested in Brand New Manitou Equipment and offer a number of approved and regulated attachments for added versatility.

Telehandlers are great for a huge range of tasks and are very fast becoming popular on medium to large infrastructure and civil projects. Find out today how we can make your next project more efficient with one of these on site!

Attachments Guide

Forks	Bucket	Lifting Hook
	*	

9 Metre Telehandler	94
13 Metre Telehandler	95
18 Metre Telehandler	96



MANITOU MT932

The compact 9m/3.2T Telehandler range is an ideal machine for constructions sites where you will find this useful for unloading trucks and shifting pallets of materials safety.

With a fully enclosed cab and all the latest features, your operators will appreciate a very versatile machine.

SPECIFICATIONS

RRAND

DIAND	MANTOO
Model	MT932
PERFORMANCE DATA	
Max. Capacity	3200kg
Max. Lifting Height	9m
	6.25

Transport	-00-0
Unladen Weight	7145kg
Max. Outreach	6.35m

Steering Modes









MANITOLI

4 Wheel Steer - 3 Steering Modes

Attachments (refer p93)













MANITOU MT1335

The medium sized 13m/3.5T Telehandler range is an ideal machine for constructions sites where you will find this useful for unloading trucks, shifting pallets of materials and occasional lifting with the Lifting Hook.

Featuring the Manitou 'JSM' System, operators will easily and quickly familiarise themselves with the Palm Control System so you are working sooner.

Also fitted with stabilisers for extra stability during lifting tasks.


SPECIFICATIONS

BRAND	MANITOU
Model	MT1335

PERFORMANCE DATA

Max. Capacity	3500kg
Max. Lifting Height	12.55m
Max. Outreach	8.75m
Unladen Weight	8800kg
Transport	-00-0

Steering Modes




4 Wheel Steer - 3 Steering Modes

Attachments (refer p93)













MANITOU MT1840

The large sized 18m/4T Telehandler range is an ideal machine for large constructions sites where you will find this useful for unloading trucks, shifting pallets of materials and a variety of other tasks.

Featuring the Manitou 'JSM' System, operators will easily and quickly familiarise themselves with the Palm Control System so you are working sooner.

Also fitted with stabilisers for extra stability during lifting tasks.


SPECIFICATIONS

BRAND	MANITOU
Model	MT1840

PERFORMANCE DATA

TERI ORNANCE DATA	
Max. Capacity	4000kg
Max. Lifting Height	17.55m
Max. Outreach	13.08m
Unladen Weight	11700kg
Transport	-00-0


Steering Modes




 $4\,Wheel\,Steer-3\,Steering\,Modes$

Attachments (refer p93)







Machine reach on stabilisers with forks.







Transport



NC Hire is able to get any of our rental fleet to your job site quickly and affordably with our large range of transportation equipment.

We pride ourselves in our quick response times to requests for equipment, by having a dedicated team ready to meet your requests.



We can also assist with your own fleet transport requirements with our team of trained professionals.

Plant Trailers	98
Specialty Trucks	99



PLANT TRAILERS

Our fleet of trailers can transport up to 2.8T making them a great option for transporting any excavators up to 2.5T. Available for short term hire with equipment, these are a perfect way to save on cartage costs.



MID RANGE TRUCKS

Our mid range trucks share the ability to transport equipment up to 6T. With sliding decks and a short wheel base, this makes them ideal for sites where access is tight.



HEAVY TRAFFIC TRUCKS

Our heavy traffic range trucks will cart up to 14T, including any equipment over 6T or multiple smaller units.



Ask about getting your own machinery carted by us!

Health and Safety



We pride ourselves in keeping our customers safe, and making sure no preventable accidents can take place.

By not only hiring the best possible machinery, we also carry regular checks and ensure certifications are always carried out. Our staff know the requirements and a full inventory of safety equipment is held on-site.

Partners

100

www.nchire.co.nz / 99

The Team at NC Hire take **Health and Safety** very seriously.

In our effort of continuous improvement we ensure all equipment meets your site requirements where necessary.

Each machine receives a pre-hire check which includes a meticulous clean inside and out, and functions to its safety parameters. Internal systems allow us to check if each individual machine has been supplied with the correct equipment to ensure you remain safe on and around our equipment.

We've Joined...







Machines are available with the following:

- Satellite Beacons
- Flashing Lights
- GPS Tracking System
- Travel Alarms
- Tag Out Devices





Not Sure About What You Need to Have?...

Give us a Call!



DON'T RISK BEING CAUGHT OUT WITH UNSAFE MACHINERY ON YOUR SITE









CUSTOMER SUCCESS

Convey the image you deserve. We only rent modern, quality, reputable brands and are focused on your success.



CUSTOMER SUPPORT

When you call, the response comes with speed and you can rely on us to stick to our promises and go the extra mile with a smile.



CUSTOMER DEADLINES

Focus on the things that really matter and rely on us to deliver in full, on time, every time, insuring a hassle free experience from start to finish.



EQUIPMENT SPECIALISTS

For your peace of mind, machinery is our passion and we are focused on providing the right equipment for the job.







OPENING TIMES

Monday - Friday 7am - 5pm

0800 624 473 hire@nchire.co.nz



Follow us on...

