

ACCESS EQUIPMENT HIRE

GEAR GUIDE



NEW MACHINERY

FREE DELIVERY*

LONG TERM RATES

SKYJACK DISTRIBUTOR



*Conditions apply, please see back page for details.

NCHIRE

WWW.NCHIRE.CO.NZ

0800 624 473

021 854 118

WELCOME...

Hello all and welcome to our all new 2015 Access Brochure.

We've got some exciting news to tell our valued customers, so please take time to check out some of our great new additions to help make your projects simpler.

With a dispatch yard in Christchurch we look forward to being able to dispatch equipment to your site even faster at more competitive rates.

NC HIRE is now offering free delivery to Christchurch Area for trailerised slab scissor lifts for rental terms over one week, and FREE delivery of rough terrain scissor lifts for rental terms over 2 weeks!

We are continually adding machines to our fleet to service customer requirements so be sure to keep in touch about up coming projects to see how we can help out.

- NC HIRE TEAM

WHY HIRE FROM US?



TOP QUALITY PRODUCTS



SAVE MONEY




LONG OR SHORT TERM



THREE GREAT LOCATIONS

MAIN BRANCH

53 CARTERS RD, AMBERLEY



CHRISTCHURCH YARD

681A HALSWELL JUNCTION RD



RANGIORA YARD

327 WEST BELT, RANGIORA



OPENING TIMES

Mon-Friday 6:30am-5:00pm

Weekend Hire Pick up Friday 5pm
Drop off Monday 7am



CONTENTS

Introduction 2-3

Vertical Mast Lifts 4-5

Electric Scissor Lifts 6-11

Rough Terrain Scissor Lifts..... 12-15

Articulating Booms 16-17

Cherry Pickers 18

Transport 19

Safety 19

Training 20

Quotes / Notes 21-23

TRANSPORT KEY



TOW AWAY YOURSELF



TILT-TRAY DECK



TRANSPORTER

SKYJACK SJ16

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	4.75m
Working Height	6.75m
Platform Height (Lowered)	0.45m
Platform Dimensions	0.89m x 0.75m
Overall Height	1.79m
Overall Width	0.76m
Overall Length	1.37m

PERFORMANCE DATA

Weight	966kg
Platform Capacity	227kg
Platform Capacity (Extended)	113kg

TYRES: SOLID NON MARKING

Gradeability	30%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	4km/h



**ABSOLUTELY
BRILLIANT FOR
ELECTRICAL
WORKERS WITH
EXTREMELY
LOW LOADING
DECK**

Transport



YOUR PRICE

--	--	--	--

GR-20 RUN ABOUT

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	6.07m
Working Height	8.07m
Platform Dimensions	0.89m x 0.75m
Platform Dimensions (Extended)	1.40m x 0.75m
Overall Height (Stowed)	1.98m
Overall Width (Stowed)	0.80m
Overall Length (Stowed)	1.35m

PERFORMANCE DATA

Weight	1112kg
Platform Capacity	159kg
Platform Capacity (Extended)	113kg

TYRES: SOLID NON MARKING

Gradeability	30%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	4km/h



Transport



YOUR PRICE

--	--	--	--

POP-UP +

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	2.5m
Working Height	4.5m
Platform Dimensions	1.01m x 0.52m
Overall Height	1.80m
Overall Width	0.70m
Overall Length	1.20m

PERFORMANCE DATA

Weight	343kg
Platform Capacity	240kg

TYRES: NON MARKING CASTORS

Wind Speed	Indoor Rated Only
------------	----------------------



**EXTREMELY
POPULAR FOR
LOW HEIGHT
INTERIOR
WORK**

Transport



YOUR PRICE

--	--	--	--

SKYJACK SJ3219

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	5.8m
Working Height	7.8m
Platform Dimensions	0.66m x 1.63m
Platform Extension Size	.9m
Overall Height (Stowed)	2.1m
Overall Width	0.8m
Overall Length	1.8m

PERFORMANCE DATA

Weight	1312kg
Platform Capacity	227kg
Platform Capacity (Extended)	113kg

TYRES: SOLID NON MARKING

Gradeability	25%
Wind Speed	12.5m/s
Drive Speed (Stowed)	3.7km/h



**ELECTRIC
SCISSORS
ARE PERFECT
FOR INDOOR
APPLICATIONS
WITH NON
MARKING
TYRES**

Transport



YOUR PRICE

--	--	--	--

DINGLI S06-E

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	5.8m
Working Height	7.8m
Platform Dimensions	1.67m x 0.74m
Platform Extension Size	.9m
Overall Height (Stowed)	2.01m
Overall Width	.76m
Overall Length	1.86m

PERFORMANCE DATA

Weight	1240kg
Platform Capacity	230kg
Platform Capacity (Extended)	115kg

TYRES: SOLID NON MARKING

Gradeability	25%
Wind Speed	12.5m/s
Drive Speed (Stowed)	5km/h



**EXTREMELY
FAST =
GREATER
EFFICIENCY ON
JOB SITE**

Transport



YOUR PRICE

--	--	--	--

SKYJACK SJ3226

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	8m
Working Height	10m
Platform Dimensions	1.07m x 2.13m
Platform Extension Size	1.22m
Overall Height (Stowed)	2.15m
Overall Width	1.17m
Overall Length	2.31m

PERFORMANCE DATA

Weight	2132kg
Platform Capacity	454kg
Platform Capacity (Extended)	136kg

TYRES: SOLID NON MARKING

Gradeability	25%
Wind Speed	12.5m/s
Drive Speed (Stowed)	3.2km/h



**SOLID, WELL
BUILT MACHINES
MEAN YOU
REMAIN
PRODUCTIVE**

Transport



YOUR PRICE

--	--	--	--

SKYJACK SJ4632

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	9.8m
Working Height	11.8m
Platform Dimensions	2.14m x 1.07m
Platform Extension	1.2m
Overall Height (Stowed Rails Up)	2.2m
Overall Width	1.2m
Overall Length	2.3m

PERFORMANCE DATA

Weight	2300kg
Platform Capacity	319kg
Platform Capacity (Extended)	196kg

TYRES: NON MARKING

Gradeability	25%
Wind Speed	12.5m/s
Drive Speed (Stowed)	3.2km/h

The Conventional Series DC Electric Scissor Lifts offer high capacity and large platform areas, making them suitable for any on-slab application and offers working heights up to 11.9m with 30% gradeability. Boasting an industry leading 319kg capacity, the SJIII 4632 also features a stowed height of only 2.0m for easy transport and access through low overhead doors.



YOUR PRICE

--	--	--	--

DINGLI S1212 E

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	12m
Working Height	14m
Platform Dimensions	2.27m x 1.12m
Platform Extension	0.9m
Overall Height (Stowed Rails Up)	2.59m
Overall Width	1.15m
Overall Length	2.48m

PERFORMANCE DATA

Weight	2900kg
Platform Capacity	320kg
Platform Capacity (Extended)	113kg

TYRES: NON MARKING

Gradeability	25%
Wind Speed	Indoor Rated Only
Drive Speed (Stowed)	5km/h



A MASSIVE 14M WORKING HEIGHT MAKES THIS ELECTRIC SLAB SCISSOR LIFT PERFECT FOR WAREHOUSES AND SUPERMARKET PROJECTS

Transport



YOUR PRICE

--	--	--	--

SNORKEL 2770RT

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	8m
Working Height	10m
Platform Dimensions	1.65m X 2.74m
Platform Extension	1.2m
Overall Height	2.56m
Overall Width	1.77m
Overall Length (Stowed)	3.36m

PERFORMANCE DATA

Weight	2930kg
Platform Capacity	580kg
Platform Capacity (Extended)	136kg

TYRES: SOLID FOAM FILLED

Gradeability	35%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.5km/h

Our all new 'Dash Four' range of Snorkel Scissor Lifts, have faster ground and lift speeds meaning greater efficiency for your company on the work site.



**WE OFFER
EXCELLENT
LONG TERM
RATES!
CALL US NOW
0800 624 473**



YOUR PRICE

--	--	--	--

SKYJACK SJ6832

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	9.7m
Working Height	11.8m
Platform Dimensions	2.5m
Platform Extension	1.5m
Overall Height (Stowed Rails Up)	2.5m
Overall Width	1.7m
Overall Length	2.7m

PERFORMANCE DATA

Weight	3475kg
Platform Capacity	454kg
Platform Capacity (Extended)	150kg

TYRES: NON MARKING

Gradeability	40%
Wind Speed	12.5m/s
Drive Speed (Stowed)	6.3km/h

The SJ6832 is equipped with an exclusive Crossover Symmetrical 4WD system for superior traction and 40% gradability, this machine can operate on your most challenging job site terrain. The Skyjack RT (Rough Terrain) Scissor Lift prides itself in being the best in its class with 4WD capabilities and fast travel.

A LOW STOWED HEIGHT IS IDEAL FOR LOADING TOOLS AND MATERIALS, WHILE AN EASY TO USE 1.5 M ROLL OUT EXTENSION DECK CAN BE SECURED IN MULTIPLE POSITIONS FOR INCREASED PLATFORM SPACE AND IMPROVED REACH CAPABILITIES.



YOUR PRICE

--	--	--	--

SNORKEL 3770RT

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	10.1m
Working Height	12.1m
Platform Dimensions (Stowed)	1.65m x 2.74m
Platform Extension	1.5m
Overall Height	2.70m
Overall Width	1.77m
Overall Length	3.36m

PERFORMANCE DATA

Weight	3620kg
Platform Capacity	450kg
Platform Capacity (Extended)	136kg

TYRES: RUBBER TYRES

Gradeability	35%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.5km/h



OUR SNORKEL RANGE ARE THE LATEST MODELS BOASTING FASTER GROUND & LIFT SPEEDS

Transport



YOUR PRICE

--	--	--	--

SKYJACK SJ8841

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	12.50m
Working Height	14.50m
Platform Dimensions (Stowed)	1.70m x 3.40m
Platform Extension	2.3m
Overall Height (Stowed Rails Up)	2.90m
Overall Width	1.70m
Overall Length	3.40m

PERFORMANCE DATA

Weight	6173kg
Platform Capacity	681kg

TYRES: NON MARKING

Gradeability	30%
Wind Speed	12.5m/s
Drive Speed (Stowed)	4.5km/h

The Skyjack 8841, has a massive 5.7m Deck Span and a Lifting Capacity of 681kg, making it ideal for contractors needing to reach high areas with greater reach.



**MASSIVE
5.7M DECK
SPAN
WITH TWIN
SLIDING
DESKS!**

Transport



YOUR PRICE

--	--	--	--

SKYJACK SJ46AJ

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	14.15m
Working Height	16.15m
Platform Dimensions	1.83m x 0.76m
Overall Height (Stowed)	2.07m
Overall Width (Stowed)	2.24m
Overall Length (Stowed)	6.50m
Up and Over Height	7.63m

PERFORMANCE DATA

Weight	6981kg
Platform Capacity	227kg
Power To Basket	7KVA

TYRES: NON MARKING

Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.7km/h

This excellent series of booms offer 'best in class' reach for size. Now with power to platform and many other great features, these machines are in high demand.



**SO MANY
GREAT
FEATURES**

- Oscillating Axle
- Proportional Controls
- Power to Basket
- 4WD

Transport



**7KVA
GENERATOR**

YOUR PRICE

--	--	--	--

SKYJACK SJ63AJ

SPECIFICATIONS

DIMENSIONAL DATA

Platform Height (Raised)	19.4m
Working Height	21.4m
Overall Height (Stowed)	2.54m
Overall Width (Stowed)	2.44m
Overall Length (Stowed)	9.14m
Up and Over Height	8.38m

PERFORMANCE DATA

Weight	9752kg
Platform Capacity	227kg
Power To Basket (Subject to Availability)	7KVA

TYRES: NON MARKING

Gradeability	45%
Wind Speed	12.5m/s
Drive Speed (Stowed)	7.3km/h



**7KVA Power
to Platform
Available on
Some Booms**

Transport



**MASSIVE
12.19M OF
HORIZONTAL
REACH**

YOUR PRICE

--	--	--	--

GENIE TZ 34/20

SPECIFICATIONS

DIMENSIONAL DATA

Working Height	12.36m
Horizontal Reach	5.59m
Lift Capacity	200kg
Aluminium Platform Dimensions	0.68m x 1.12m
Industry Leading Working Envelope	
Extension Boom	
Self-leveling Platform	
Hydraulic Outriggers	
359° Non-continuous Turntable Rotation	

TOW AWAY YOURSELF.

VERY MANOUEVRABLE ON SITE, WITH SELF LEVELING LEGS MEANS THIS CAN OPERTE ON NEARLY ANY TARRAIN.

**OPERATE
ON NEARLY
ANY
TERRAIN**



Transport



YOUR PRICE

--	--	--	--

TRANSPORT

WE HAVE NO PROBLEM WITH CARTING OUR GEAR WITH SPECIALITY TRUCKS AND TRAILERS.



NC TRANSPORT


RELIABLE | **FAST** | COMPETITIVELY PRICED

0800 NC HIRE (624 473) | 021 240 8645

SAFETY

We pride ourselves in keeping our customers safe, and making sure no preventable accidents can take place.

By not only hiring the best possible machinery, we also carry regular checks and ensure certifications are always carried out. Our staff know the requirements and a full inventory of safety equipment is held onsite.



ARE YOU COMPLIANT?

NZQA Operator Training | NCHire



THE HEALTH AND SAFETY IN EMPLOYMENT ACT STATES THAT:

“Employees must be adequately trained in the safe use of equipment in the place of work” to overcome this, the NZQA Training Course, is a course which has been designed and written by HIANZ (Hire Industry Association New Zealand) for Operators to deem them competent to use EWP’s (Elevated Work Platforms) and comply with law. Still, while it is not compulsory that operators hold a licence by law, professional training is needed.

OBJECTIVE OF NZQA TRAINING

The Core Objective of the NZQA Training is to provide operators with a greater understanding in the safe operation of multiple EWP’s including Scissor Lifts, Vertical Mast Lifts and Trailered Booms. The course outlays the potential for accidents, and then suggests solutions for operators to rectify these.

Unlike some competitors we don’t have hidden costs, in fact you get more for your money!

WHEN YOU TRAIN WITH US YOU GET:

- Free Supply of Machines (selected Boom types),
- Free Lunch,
- Industry Knowledge and Background in the use of EWP’s,
- Free 25Pg Safe Operation Use of EWP’s to take away for future Reference.


BENEFITS


The obvious benefits to companies are immediate! You company will gain higher qualified staff, who have a greater understanding in the operation of EWP’s. Companies can expect to also see a drop in maintenance repair costs, as Operators are taught to carry out daily checks on machines - finding problems before they become costly.


Employers benefit through gaining the knowledge that their staff are competent to operate EWP’s with a higher level of safety awareness.

Holding a NZQA level of EWP Training will entitle the holder to gain access to most construction sites, or as stipulated by the company the contractor is carrying out work for.

Remember ... don't delay
CALL NOW before it is too late
0800 NCHIRE (624 473)







OUR DIFFERENCE!

WE ONLY HIRE
MODERN & HIGHLY
MAINTAINED
EQUIPMENT



WE OFFER
VERY FAST,
FREE*
DELIVERY
WHEN NEEDED



WE OFFER
THE COMPLETE
ACCESS
SOLUTION




NEED GEAR

NOW?

CALL US ON: 0800 624 473

***FREE DELIVERY**
TO CHRISTCHURCH AREA FOR
ANY TRAILERISED SCISSOR
LIFTS FOR HIRES OVER 1 WEEK &
FREE DELIVERY FOR ANY ROUGH
TERRAIN SCISSOR LIFTS FOR
HIRES OVER 2 WEEKS!

MAIN BRANCH
53 CARTERS RD, AMBERLEY



CHRISTCHURCH YARD
681A HALSWELL JUNCTION RD



RANGIORA YARD
327 WEST BELT, RANGIORA



0800 624 473
021 854 118

